

SUSTAINABLE DEVELOPMENT GOALS THROUGH APPROPRIATE FOREST MANAGEMENT STRATEGIES

Proceedings of the

41st Annual Conference

of the
Forestry Association of Nigeria
held in Abuja, FCT

7th - 11th October, 2019

Edited by
V.A.J. Adekunle, PhD
O.Y. Ogunsanwo, PhD
N.A. Adewole, PhD
P.I. Oni, PhD



FAN

FORESTRY ASSOCIATION OF NIGERIA

**Proceedings of the 41st Annual Conference
of the Forestry Association of Nigeria**

Held in Abuja, FTC.

7th – 11th October, 2019

© Forestry Association of Nigeria, 2018

All rights reserved.

**No part of the proceedings may be reproduced without
the permission of the author(s) and the editors.**

ISBN: 978-978-310854-2

Printed by: Exotic Denzines Ltd.

Tel: 08035013307

CONTENTS

Executive Council Members	iii
Presidents of the Forestry Association of Nigeria since inception	iv
Fellows of Forestry Association of Nigeria	v
Conference Planning Committee	vi
Local Organizing Committee	vi
Preface	xviii
President's Welcome Address	xxi
Keynote Address	

SUB-THEME 1

1.1	Sulaiman O.N. and Onifade. A.O Potential of <i>Parkiabiglobosa</i> in Poverty Alleviation in Nigeria 1-11
1.2	Dr. Bolaji-Olutunji, Kofoworola A. Nypa Palm- a Bio-energy Source: Alternative Energy Sources for Natural Growth and Development in Nigeria 12-15
1.3	Idiege, D.A¹., Esor, P., Maiguru, A.A and Ibrahim, P.S Awareness and Perception of Urban Forestry among Urban Dwellers in Wukari LGA, Taraba State Nigeria. 16-26
1.4	Adeniji, I.T., Adio, A.F. and Agboola, R.O. Evaluation of Different Pre-Treatment Techniques for Breaking Seed Dormancy in <i>Pentaclethramacrophylla</i> 27-31
1.5	Bawuro Musa Toungo and Usman Mohammed Bello Appraising Forest Resources Role in Nigerian Community Livelihoods: a Case of Adjoining Communities to Kamuku Forest Reserve, Kaduna State 32-41
1.6	Musa Timothy and Timothy A. Whygon Responses of <i>Jatropha (Jatrophacurcas)</i> Seedlings to three Different Soils: Farmland Soil, Forest Soil and Granulated Iron Soil in Samaru Kataf, ZangonKataf Area of Kaduna State 42-48
1.7	David-Sarogoro, N., Timitimi, E. and Emerhi, E.A. Fuel wood Utilization and Sustainable Management of Forestry Resources: Panacea for Poverty Alleviation 49-55
1.8	Kareem, A. A. and Sulaiman, O.N. Sustainable Forest Management and Poverty Alleviation 56-62
1.9	Dan P.H., Anosike Q.C., Mba N.C. Poverty Reduction: Forests as Mitigation Tool in Nigeria 63-70
1.10	Agbeja, A. O and Akindolu D.R Ethno-Botanical Potentials of <i>Morindacitrifolia</i> L and its Contribution to Sustainable Livelihood 71-75
1.11	A. O. Osunderu Herbal Medicine: 'A Key Driver towards Green Economy in Southwest Nigeria 76-86
1.12	O.O Olugbire and T.O Oguntoye Income Generation Potentials of Non-Timber Forest Products: A Case Study of Bamboo Tree in Nigeria 87-94

Contents

- 1.13 **Kabir, G.B., Arowolo, O.V. and Oke, D.O.**
Potentials of Non – Timber Forest Products as a Mechanism for Poverty Reduction in Sub-Saharan Africa 95-100
- 1.14 **Kabir, G.B., Bolaji-Olutunji, K.A. and Pitan O.O.**
Socio-Economic Analysis of Factors Affecting the use of Alligator Pepper for Medicinal Purposes in Ibadan Metropolis 101-108
- 1.15 **Fausat Motunrayo Ibrahim**
Derived Benefits from Cooperative Society and Willingness to Migrate among Crop Farmers of Ido Local Government Area, Oyo State 109-119
- 1.16 **F.M. Ibrahim, H.O. Shuaib-Rahim, O.G. Ogunwale, T.O. Olaniyan**
Involvement in Cooperative Society and Livelihood Diversification among Crop farmers in Oluyole Local Government Area of Oyo State, Nigeria 120-128
- 1.17 **Ojo, A. R and Ojo-Adedeji, T. R**
Capability of Bamboo and Rattan Resources in Poverty Alleviation in Nigeria 129-135
- 1.18 **Ajala, O. O*, Adelusi, E. A., Alaiye, I. O.**
Assessment of Selected Anatomical Properties of *Dracaena arborea* (Link.) for its Utilization Potentials 136-143
- 1.19 **Jasper Ezenwaka**
Livelihoods Sustainability in the Niger Delta Communities 144-152
- 1.20 **Odediran F.A; S.A Adebayo and Adebusuyi G.A**
Assessment of Potential of Edible Mushroom Production in South West Nigeria 153-159
- 1.21 **Fingesi, U. I. and Ibrahim, A.O.**
Products (NTFPS) Gathering in Lapai Local Government Area, Niger State 160-170
- 1.22 **Olajuyigbe S.O. and Adaja A.A.**
Beilschmiediamannii Robyns and Wilczek: an Underutilised Tree Crop with Great Socio-Economic Potential 171-177
- 1.23 **A.A. Omoyeni**
Processing and Packaging Preference Of African Locust Bean *Parkia Biglobosa* (Jacque Benth) Seeds In Ado Metropolis, Ekiti State, Nigeria. 178-188
- 1.24 **Okpara, I.G., Olubunmi-Koyejo, A.**
Potentials of Biomass Energy Crops for Sustainable Energy Supply and Rural Development in Nigeria 189-194
- 1.25 **O.H. Opute, F.O. Idumah and C.S. Ofordu**
Contribution of Non-Timber Forest Products as a Potential to Poverty Alleviation 195-200

SUB-THEME 2

- 2.1 **Salami, K. D., Ilu, K. J and Lawal, A. A**
Effect of Seed Treatments and Potting Mixtures on the Early Growth Performance of *Balanites Aegyptiaca* (L) Delile 201-214
- 2.2 **Akintola O.O. and Bodede, I.A.**
Heavy Metal Remediation Potential of *Adansonia Digitata* Linn. Seedlings in Dumpsite Contaminated Soil 215-222
- 2.3 **Oke R.A. and Adetola O.O.**
Socio-economic Benefits of Forest Ecosystem on Human Health 223-228
- 2.4 **Onyili, A.C., Ezenwenyi, J.U. and Adeyemi, M.A.**
Gender Equality and Participation in Sustainable Forest Management 229-235

Contents

- 2.5 **Bridget O. Bobadoye, Ayodotun O. Bobadoye, Adekola J. Popoola.**
Diversity of Floral Plants Sustaining African Meliponine Bee Species (Hymenoptera: Meliponini) in a Fragmented Habitat of Kenya 236-244
- 2.6 **Bridget O. Bobadoye, Ayodotun O. Bobadoye, Adekola J. Popoola**
Biosecurity Risks of Invasive Alien Forest Pest Species Establishments from Shared National Border Pathways with Nigeria 245-250
- 2.7 **Bridget O. Bobadoye, Ayodotun O. Bobadoye, Adekola J. Popoola**
Habitat Vulnerability and the Implication for Endemic Pollinators in an Eastern Afro-Montane Biodiversity Hotspot of Kenya 251-262
- 2.8 **Isese M.O.O**
Derreservation: A Gateway to Decimation of the Ogba Forest Reserve 263-266
- 2.9 **Akpan, U.F., Ekeke, B.A. and Akpan, F.S.**
Impact of Petroleum Contamination on the Germination of *Nypa Palm*, (*Nypa Fruticans* Wurm) 267-274
- 2.10 **Onisile A.O., Akomolede L.A. and Phillips G.T.**
Documentation of Use of Forest Herbs among Small Holders Poultry in Alaraba Village, Ifelodun Local Government of Osun State 275-279
- 2.11 **Olumide Ojo Oyenike and Awolala David Olufemi**
Fuelwood Usage and Its Challenges on the Health of Women and Children in Akoko South-West Local Government Area of Ondo State, Nigeria 280-286
- 2.12 **Akintola O.O and Bodede, I.A**
Utilization Pattern and Phytochemical Properties of *Jatropha Curcas*(L) in Yewa South Local Government Area, Ogun State, Nigeria 287-293
- 2.13 **Ogbonna P.C., Nzegbule E.C, Abolo, C.U.**
Germination frequency of woody species in exotic plantations and bush fallow land area in Umuahia, Abia State 294-301
- 2.14 **Akpan, Mercy Patrick and Emmanuel E. Bassey**
Sustainable Utilization of *Gnetum africanum*(WELW) in Akwa Ibom State: A Panacea for Sustainable Forest Management 302-307
- 2.15 **Akintola, B.A. and Bamgbade, B.J**
Environmental Symbols and Signs: Awareness and Advocacy as Nexus in Achieving Sustainable Development Goals 308-314
- 2.16 **Lawal, I. O., Rafiu, B.O. and Adam, A.A.**
Medicinal Plants in FRIN Herbal Garden and their Ethnomedicinal Values: A Means to Poverty Alleviation 315-326

SUB-THEME 3

- 3.1 **Yusuf, R.B; Unuigbokhai, A.O; Asaolu, J.O and Salam, A.A**
Women in Forest Resources Management: The Gender Issues 327-333
- 3.2 **Udoh, G.E., Ogar , E.O., and Ogar, B.I.**
Evaluation of Women's Participation in Environmental Conservation and Protection in Uyo Local Government Area of Akwalbom State 334-342
- 3.3 **Ajala, O. O., Adelusi, E. A., Alaiye, I. O.**
Sustainable Management and Utilization of Forest Products for Food Security in Africa: The Role of Women 343-350

Contents

- 3.4 **Oyewumi, O.R, Areo, O.S and Oyewale, O.O.**
Involvement of Women in Marketing of Non Timber Forest Product's Towards Food Security and Poverty Alleviation 351-358

SUB-THEME 4

- 4.1 **Meer, Bernard Bunde; Tella, Iyiola and Nyiputen, Isaac**
Human Impacts on Woody species Conservation in Taraba State, Nigeria 359-367
- 4.2 **Adekola, P.J., Bobadoye, B.O., Victoria, I.**
Prospects and Challenges of Apiculture in Forestry Education 268-373
- 4.3 **Muhammad Nuraddeen Danjuma, Mustapha Zakariya Karkarna and Sa'adu Abubakar Mafara**
Plants Composition and Diversity in Parts of Katsina State, Nigeria 274-382
- 4.4 **Akinbowale, A.S., Adeyekun O.J and Fasalejo O.F.**
Assessment of Tree Species Diversity and Forest Structure of yet Unlogged Tropical Rainforest, Southwest Nigeria 383-394

SUB-THEME 5

- 5.1 **Oyelowo O.J. and Olatidoye O.R.**
Indigenous Knowledge and Forest Fire Management in Africa 395-406
- 5.2 **Oyenike Olumide Ojo, Sylvester Oludare Ojo and Opeyemi Fisayo Akanni**
Determinants of Rural Households' Willingness to Pay for Clean Cook-Stove in Ondo State 407-414
- 5.3 **Olaifa, K.A.**
Sustainable Watershed Management: Panacea for Food Security 415-424
- 5.4 **Olayemi, O.O., Aluko, O.J. and Abegunrin, O.O.**
Constraints to Utilization of Improved Processing Technologies among Cassava Processors in Oyo State 425-432
- 5.5 **Ajayi B.G. and Oluwadare A.O.**
Suitability of Biochar of *Bambusa vulgaris* (Schrud. Ex Wendl.) for the Removal of Heavy Metals from Refuse Dumpsite Soil 433-437
- 5.6 **Ezekwe, C.O., Ugwu, R.A. and Ovuike, O.O.**
Conservation of Natural Resources: The Gains, Pains and Challenges in Nigeria 438-441
- 5.7 **Adegoke, Idowu Abimbola**
Impacts of Bioenergy Development on Climate Change, Forest Biodiversity and Sustainable Forest Management 442-450
- 5.8 **Ademola, A.A., *Oyewale, O.O., and Ademola, I.T**
Forest Management and the Challenges of Environmental Sustainability 451-456
- 5.9 **Onadeji, O.M. and Onilude, Q.A.**
Diversity and Diameter Size Class Distribution of Tree Species in Igbo-Olua Sacred Grove, Ondo State, Nigeria 457-463
- 5.10 **Hassan A.B, Raphael Onyema and Khalid Tukur**
Roles and Nourishment of House Dump Garbage to the Soil 464-470
- 5.11 **Jatau, D. F and Tijjani, U. B.**
Rosewood (*Pterocarpus erinaceu*) Exploitation in Nigeria: A Tool to Achieving United Nations Sustainable Development Goals 471-480
- 5.12 **Halliru Bilyaminu and Muhammad A.M**
Seed Source Variation in Germination, Morphology and Biomass in Half Sib Family of *Parkia biglobosa* (African Locust Bean) Under Nursery Condition 481-492

Contents

SUB-THEME 6

- 6.1 **Adebayo, D.O., Ugege, B.H And Bolaji- Olutunji, K.A**
Charcoal Producers' Awareness on the Effect of Deforestation in Selected Agrarian Communities of Oyo State 493-500
- 6.2 **Adamu, U. A., Usman M. B.,Adamu, I.,Yahaya, U. Abdul,aziz, R. A., Ibrahim, F. S and Kyari A. Y..**
Effect of Aqueous Moringa (*Moringa oliefera* (Lam.)) Leaves Extract on Early Growth Characteristics of Pawpaw (*Carica papaya* (L.)) Seedlings in the Nursery 501-506
- 6.3 **Okon-Akan, O.A.,Abiola, J. K., Bankole, R. T., and Roqeeb**
Antitermite and Antifungal Effectiveness of Selected Leave Extract on *Boscia Augustifolia* (A.Rich) Wood Species 507-512
- 6.4 **Opeyemi Olajide, Idongesit M. Etuk and Comfort J. Essien**
Ecological Survey of Edible and Medicinal Undergrowth Species in a Community-Owned Rainforest Reserve in Akwa Ibom State, Nigeria 513-520
- 6.5 **Atowon, A. D.*and Okiri, U.E**
Development of Roofing Tiles from Bamboo Flakes Treated with Magnesium Chloride 521-526
- 6.6 **Ikwa, L.O.E., Samson E.O., John Umor Mouau**
Techniques of Marketing Gmelina(*GmelinaArborea*) andTeak(*TectonaGrandis*) in Omo Forest Plantation of Ogun State Nigeria 527-532
- 6.7 **Agboola I.S.**
Sericulture Industry in Social and Economic Development 533-538
- 6.8 **Adeoye, A.S., Oke, O.O. and Aderounmu, A.F.**
Forestry Information Needs of Non Timber Forest Products Gatherers in Gambari Forest Environment, Oyo State Nigeria 539-545
- 6.9 **Kalu, C.P.and Aigbobo, E.N.**
Contribution of Non-Timber Forest Products (NTFPS) in Wealth Creation in Edo State, Nigeria 546-553
- 6.10 **Noah A. S and Ajala, O. O**
Characterisation of the Chemical Composition of *Aningeria robusta* A. Chev Wood 554-560
- 6.11 **Akpan ,F.S, Akpan, U. F and Eric E.E**
Forest and Forest Products in Social and Economic Development 561-570
- 6.12 **Abubakar, A., Olufemi, B., and Abdurashid. I.,**
Classification of Wood Waste Generated in Some Selected Furniture Workshops in Kano Metropolis, Kano State Nigeria 565-570
- 6.13 **Salako B. A, Bolaji-Olutunji, K.A and Agbeja B. O**
Assessment of Prevailing Causes and Effect of Conflict between Forestry and Agricultural Land Uses in Omo Forest Reserve Area J4, Ogun State 571-580
- 6.14 **Anguruwa G.T., Ayodele O.O. and Fakorede C.O.**
Bioenergy and its Role in National Development 581-586
- 6.15 **Akhideno, L. O. Isibor J. and Clement, N.**
Consumption Rate of *Garcinia Kola* in Edo State Nigeria 587-592
- 6.16 **Aguda L.O., Adepoju A. O., Akala A.O., and Aguda O.Y.**
Potency of *Azadirachta Indica* Heart Wood Extracts as Bio Preservative against Selected Bio-Deteriorative Agents 593-602

Contents

- 6.17 **Ajayi B., Aguda L.O. Oyelakin J. A. and Aguda O.Y.**
Evaluation of Physico-Mechanical Properties of Wood Plastic Composites Manufactured from the Pod of *Delonix Regia* and Waste Lylon 603-610
- 6.18 **Adebawo F. G., Olatunji O. A., Okanlawon F. B. and Bolaji O. W.**
Evaluation of Bio-preservative Potential of *Azadirachta Indica* A. Juss Leaf Extract against Wood Decay Fungi 611-619
- 6.19 **Adeoti, Oluwadamilola Olayinka**
Volume Estimation and Assessment Methods for Sustainable Forest Management 620-628
- 6.20 **Animashaun, Zakariyau Tunde**
Diameter Distribution Models in Forest Management for Sustainable Growth 629-634
- 6.21 **Aina Kehinde S and Adeniyi Ifedayo M**
Revamping Pulp and Paper Industries for Employment Opportunities in Nigeria 635-643
- 6.22 **Adebawo F. G., Okon-Akan A. O., Okanlawon F. B. and Olatunji O. A**
Evaluation of Dimensional Stability of Gypsum-Bonded Boards Reinforced with Natural Fibres 644-650
- 6.23 **Asinwa, I. O and Gbadebo, J. O**
Survival and Growth Potentials of Different Planting Propagules of *Bambusa vulgaris* Schrad. (J. C Wend) and *Phyllostachys aurea* C. Rivire 651-656
- 6.24 **Egbewole Z.T., Rotowa O.J., Alo A. A., and Ogunleye M.B.**
Estimating Illegally Felled Trees using Forest Inventory; A case study of *Tectona grandis* Plantation in Agudu Forest Reserve 657-674
- 6.25 **Ikyaaqba, E.T., Ancha, P.U. Tee, T. N. and Igbaukum, E**
Charcoal Boom: An Emerging Threat to Nigeria's Fragile Ecosystems 675-682
- 6.26 **Kolajo, T.E. and Onilude, M.A.**
Delignification Trends for Alkaline Sulphite Pretreatment of *Zea Mays* Fractions in the Production of Bio-Ethanol 683-690
- 6.27 **Lawal, A.A., Jimoh, S.O., O.A. Sotande, Salami K.D., and M. Umar**
Utilization of Agricultural Waste Materials in Briquettes Production- An Option for Sustainable Waste Management in Maiduguri, Borno State, Nigeria 691-700
- 6.28 **Ogutuga, S.O., Ogunsanwo, O.Y. and Adegoke, I.A.**
Evaluation of *Elaeis guineensis* (Jacq.) Wood Density for Appropriate Utilization 701-705
- 6.29 **Olasupo, O.O., Olajuyigbe, S.O. and Osuolale, R.A.**
Diversity and Frequency of Macro-Fungi Associated with *Allanblackia floribunda* in Southern Nigeria 706-711
- 6.30 **Olayiwola Y.B.,**
Characterization and Comparison of Bio-oil Obtained from Liquefaction and Pyrolysis of *Detarium senegalense* (J.F Gmel) Bark 712-719
- 6.31 **Onilude, Quadri Ayansola**
Assessment of the benefit of forest trees on farmland in Ido LGA, Oyo State 720-727
- 6.32 **Bello, O.A. and Odebode, S.O.**
Effects of Concentrations and Varying Methods of Application of *Pycnanthus Angolensis* fruit Shell as Organic Manure on the Yield of Okra (*Abelmoschus esculentus* L. Moench) 728-733
- 6.33 **Jimoh K.A, David E. A, Ishola B. F and Oyewole S. O**
Inclusion of Forest Resources in the Home Grown School Feeding Programme in Nigeria 734-740
- 6.34 **Adelani, D.O and Ibrahim, H**
Effect of Organic Fertilizers on the Growth of Tamarind (*Tamarindus indica* L) 741-747

Contents

- 6.35 **F.K. Owofadeju and S.A. Alonge**
Suitability of Nigerian *Eichhorniacrassipes* and *Chromolaenaodorata* for Pulp and Papermaking 748-757
- 6.36 **M.T. Akande, and Usman, M. Bello**
Assessment of Locally Made Plant Extracts As Wood Preservatives and Their Treatment Methods in Igabi Local Government Areas of Kaduna State 758-765
- 6.37 **Fowowe, A.O and Onilude M.A**
Papermaking Potential of *Hildegardiabarteri* (Okurugbedu) Part 1: Fibre Characterization 766-774
- 6.38 **Adelani, D.O and Suleiman, R**
Effect of Seed Weights on the Germination and Early Seedling Growth of African Star Apple (*Chrysophyllum albidum* G. Don) 775-781
- 6.39 **Ogunjobi K.M., Odhe Emmanuella and Gakenou O.F.**
Assessment of Selected Drying Characteristics of *Milicia excelsa* using Solar Powered Kiln 782-793
- 6.40 **Adeniran D.A. and Etta P.N.**
Design and Construction of a Paper Shredding Machine using Wood and Wood-Based Products as frame and covering 794-807
- 6.41 **E.M Aperebo and E.O. Ushie**
Linear Programming Approach for Efficient Conversion of *Rhizophora racemosa* 808-814

SUB-THEME 7

- 7.1 **Elumalero G.O., Ogunbela A. A., Olalekan O. J*.**
Phytochemical Screening of *Gmelina arborea* Seeds Grown in Ogun and Oyo States, Nigeria 815-823
- 7.2 **Oke Razaq Ajibola**
A Review of Benefits of Urban Forest and Impact on Climate 824-830
- 7.3 **Oke, D.O., Olugbire, O.O. and Obafunsho, O. E.**
Promoting Urban Tree Planting Initiative: A Step Toward Climate Change Mitigation 831-836
- 7.4 **Ifatimehin O.O., Oluwagbemi T.E., Saliu J.O. and Balogun F.A.**
Unhealthy Practices and Climate Dysfunction in an Emerging Suburb of Lokoja Metropolis, Zangon-Daji, Nigeria 837-844
- 7.5 **Bobadoye, A.O., Bobadoye B.O and Aluko J.O.**
Comparing Perception And Meteorological Evidence Of Rainfall Variation Among Maasai Pastoralist In Kenya 845-852
- 7.6 **Asabia, L. O. and Okewunmi, M.S**
The Potentials of Watershed Ecosystem on Climate Change Amelioration 853-862
- 7.7 **Chima, U.D. and Amaogu, D.C.**
Urban Forest Development as a Tool for Enhancing Climate Change Mitigation and Adaptation in Nigeria 863-870
- 7.8 **A.A Aiyeloja, A.T Oladele* and A. Iluno**
Indigenous Importance and Spatial Distribution of Amenity Trees in University of Port Harcourt Teaching Hospital, Nigeria 871-879
- 7.9 **Samuel Oluwafemi Oyamakin**
Some New Nonlinear Hyperbolic Growth Equations for Modeling Growth of Tree Growth 880-906

Contents

- 7.10 **Adeyemo Segun Michael and OMOLE Ayodeji Oludare**
Quantifying the Volume of Woods Used for Replacement in Construction Works in Ibadan, Nigeria 907-913
- 7.11 **Chomini, M.S., JOSHUA, V.I. BARRI, K. I**
Effects of Thirteen Years of *Albizia Lebbeck* Plantation on Some Soil Physico-Biochemical Properties in the Federal College of Forestry, Jos 914-929
- 7.12 **Aderounmu, A. F and Adejumo, A.A.**
Effects of Urbanization on Alalubosa Watershed and Fuel Wood Plantation in Ibadan South-West Local Government Area of Oyo State 930-936

SUB-THEME 8

- 8.1 **O.J. ARABOMEN, F.S. EGUAKUN and O.H. OPUTE**
Assessing Urban Forest Resource towards Sustainable Management in Benin Metropolis, Nigeria 937-951
- 8.2 **Ariyo, Oluyinka Christopher**
Population Structure of Woody Plants in Block A Forest of International Institute of Tropical Agriculture (IITA) Ibadan, Oyo State, Nigeria 952-960
- 8.3 **Okpara, I.G., Anosike, Q.C.,**
Status, Challenges and Opportunities for Bioenergy Development in Nigeria 961-966
- 8.4 **Jegede, Opeyemi. C and Gbadebo, Joseph. O**
Evaluation of Flood Tolerance Potentials of Selected Indigenous Trees Species in Nigeria 967-974
- 8.5 **Adiji A.O and Adejoba, A. L.**
Wood Preservation: A Nexus to Climate Change Resilience and Mitigation in Nigeria 975-981
- 8.6 **Abdulrashid I., H. Bilyamin and M. Yakubu**
Population Structure of *Eucalyptus camaldulensis*(Dehnn) Plantation in Kano University of Science and Technology, Wudil Campus 982-988
- 8.7 **Fakorede, C.O. and Anguruwa, G.T.**
Forest Retreat, Climate Change Emergence: Indigenous Forest Conservation Methods to the Rescue 989-995
- 8.8 **Lawal, A.A., Jimoh, S.O., O.A. Sotande, Salami K.D., and M. Umar**
Utilization of Agricultural Waste Materials in Briquettes Production: An Option for Sustainable Waste Management in Maiduguri, Borno State, Nigeria 996-1004
- 8.9 **Odewale, M.A**
The Potential of Urban Forest in Climate Change Mitigation and Adaptation 1005-1012
- 8.10 **Olowoyo F. B and Ajewole O. I**
Structure, Conduct And Performance Of Stumpage Market In Southwest Nigeria 1013-1024
- 8.11 **Oyewo, I.O, Adesope, A.A Owolaja, A.O, Aderemi, A.M**
Socio Economic Determinant of Plantain (*Musa spp*) Farmers Productivity in Ido Local Government Area of Oyo State, Nigeria 1025-1030
- 8.12 **Komolafe, A. S; Usman, M.B**
The Impacts of Terrorism on the Socioeconomic Activities of the Communities around Forest Reserves in Kaduna State 1031-1038
- 8.13 **Chukwu, O. Chenge, I.B., Japheth, H.D. and Yager, G. O.**
Tree Species Diversity and Forest Structure of a Natural Forest in Shasha Forest Reserve, Nigeria 1039-1049

Contents

- 8.14 **Ubaekwe, R.E*, Falade, O.F and Ariwaodo J.O**
Carbon Fraction Distribution of Soil Depths of Omo Biosphere Reserve, Nigeria 1050-1056
- 8.15 **Aminu Magaji Bichi and Abubakar Abdullahi Bichi**
Landuse and Land Cover Changes: Precursors to Ecological Formations of Kano State Ecological Zones 1057-1065
- 8.16 **Oderinde F.O., Eludoyin O.S. and Bankole M.O.**
Spatio-Temporal Monitoring of Vegetation Health in Oyo State, Nigeria using MODIS Satellite Imageries 1066-1080
- 8.17 **Muhammad, A.M and Bilyaminu, H**
Seed Source Variation in Germination, Morphology and Biomass in Half Sib Family of *Parkia biglobosa* (African Locust Bean) Under Nursery Condition 1081-1090

SUB-THEME 9

- 9.1 **Mazeli, P.O., & Chomini, E.A**
Sustainable Environmental Protection and Human Rights 1091-1099
- 9.2 **Fayenuwo, G.A. and Ogunyebi, L.A.**
Status of Community Forestry and Community Based Forest Management in South-Western Nigeria 1100-1114

SUB-THEME 10

- 10.1 **Mba, Nnabuike C. and Udoh, Enobong Donald**
Wildlife Resources and Ecotourism in Sustainable Development Goals 1115-1120
- 10.2 **Imran, Gbolagade Tirmizi**
Bush meat Consumption Patterns of Residents of Iseyin Local Government Area, Oyo State, Nigeria 1121-1130

SUB-THEME 11

- 11.1 **Adelani, D.O**
Effect of Leaf Litters of Nitrogen Fixing Trees on the Growth of *Citrus Tangelo J. W.* Seedlings 1131-1140
- 11.2 **Ogunade. J. O , Akomolede, L. A and Olaitan., A. O**
The Potential of Agroforestry in Biodiversity Conservation in the Tropics 1141-1152
- 11.3 **Adebisi, A.A and Geply, O.A**
The Roles of Agroforestry in Food Security and Environmental Conservation 1153-1159
- 11.4 **Iroko, O.A and Bobadoye, A.O.**
Agroforestry, A "Sine Quanon" to Environmental Conservation and Climate Change Mitigation 1160-1166
- 11.5 **Nosiru, M.O., Oke, O.S., Odeyale, O.C.**
Impact of Agroforestry on Food Security and Environmental Conservation 1167-1174
- 11.6 **Muhammad NuraddeenDanjuma*, Mustapha ZakariyaKarkarna and Abdullahi Bature**
Local Knowledge of Plants Diversity and its Conservation in Katsina State, Nigeria 1175-1183
- 11.7 **Pelemo Oluwole John**
Mapping and Estimation of Carbon Stock and Market Value Assessment of Omo Biosphere Reserve, Nigeria 1184-1191

Contents

- 11.8 **Anosike, Q.C, Dan, P.H and Okpara, I.G**
Potentials of Agroforestry in Food Security and Sustainable Forest Management In Nigeria
1192-1198
- 11.9 **Dahunsi O, M. and Erhabor, T. A.**
Taungya Agroforestry Participation and it's Contrain in Ekiti State, Nigeria. 1199-1204
- 11.10 **Ete, J.A.**
Agroforestry as Panacea for Food Security and Environmental Conservation 1205-1216
- 11.11 **E.A. Owoeye and V.R. Bakpolor**
Agroforestry: A Tool for Resilient Ecosystem in a Changing Climate 1217-1221
- 11.12 **Oyaniyi T., Odediran F.A, Ogunjimi O.O, Oyaniyi T.O,**
Agroforestry in Nigeria: A Viable Source of Livelihood and Food Security 1222-1231
- 11.13 **Akinyemi O, Oyewole S. O, Jimoh K. A**
Green Business: A Strategy for Forest Conservation 1232-1239
- 11.14 **Eric, E. E., Udofia, S. I. and Udo, E. S.**
Economic Analysis of Homegarden Agroforestry Practice in OrukAnam Local Government
Area, Akwalbom State. Nigeria 1240-1248
- 11.15 **Onyekwelu, J.C., Agbo-Adediran, O.A., Lawal, A. and Agbelade, A.D.**
Assessment of Tree Biodiversity Across a Tropical Rainforest, Degraded Forest and Sacred
Grove in South-West, Nigeria 1249-1264
- 11.16 **Oluwagbemi, Tai**
Terrorism as a Challenge to Agroforestry for Food Security and Environmental Conservation
1265-1270
- 11.17 **Sale, F.A. and *Shaibu, U.M.**
Understanding the Nexus between Participation in Agroforestry and Food Security Status:
Empirical Evidence from Rural Households in Kogi State, Nigeria 1271-1278
- 11.18 **Ayotunde-Ojo, M. O. and Ajibade, M.**
Efficacy of Five Plant Extracts as Preservatives of Stored Cowpea (*Vigna unguiculata*)
Against Cowpea Weevil, (*Callosobruchus maculatus*) 1279-1286
- 11.19 **Bobadoye A.O., Jimoh K.A. and Bobadoye B.O.**
Understanding Perception of Agroforestry Farmer on Climate Change in Ibadan Metropolis,
Oyo State 1287-1293
- 11.20 **Olujobi O.J**
Contribution of Cocoa-Based Agroforest to Household Livelihood in Emure Local
Government Ekiti State, Nigeria 1294-1304
- 11.21 **Agera, S.I.N; Japheth, H.D and Amonum, J.I.**
Agroforestry System and Organic Farming: Tools in Mitigating the Problems of Modern
Agriculture Author 1305-1318
- 11.22 **Muhammad, A.M and Bilyaminu, H**
Seed Source Variation in Germination, Morphology and Biomass in Half Sib Family of
Parkia biglobosa (African Locust Bean) Under Nursery Condition 1319-1327
- 11.23 **Aderinto, A; Aderounmu, A.F Ilori, A. R; Fadipe, M.O**
Forest Management Practices of Rural Dwellers in Ijebu-North Local Government Area of
Ogun State, Nigeria 1328-1336
- 11.24 **Mukhtar*, R.B., Inuwa, A., Dantani, A. and Zagga, A.I.**
Response of *Parkia Biglobosa* (JACQ.) Stem Cuttings to Rooting Media and Hormone
Concentrations 1337-1341

CARBON FRACTION DISTRIBUTION OF SOIL DEPTHS OF OMO BIOSPHERE RESERVE, NIGERIA

Ubaekwe, R.E^{1*}, Falade, O.F² and Ariwaodo J.O³

¹ Department of Forestry and Wildlife Management, University of Port Harcourt, Rivers State, Nigeria.

² Department of Forest Production and Products, University of Ibadan, Oyo State, Nigeria.

³ Forestry Research Institute of Nigeria, P.M.B. 5054, Jericho, Ibadan, Oyo State, Nigeria

*Corresponding Author

E-mail: rosemary.ubaekwe@gmail.com, Phone: +2347032394320

Abstract

Soil is regarded as largest carbon reservoir in terrestrial ecosystem but availability of information on soil aggregates cum carbon fraction distribution along depths in relation to specified location is lacking. Soil carbon accumulation of aggregate sizes was estimated at five soil depths in natural forest reserve, Omo Biosphere Reserve, Nigeria. Guided by the heterogeneity of the reserve, it was stratified into close and open canopy structures. Fourteen and six (30m x 30m) sample plots were demarcated in close and open canopy, respectively. Profile pit was dug at the center of sample plots (30m x 30m) and soil samples were collected at 0 – 20, 20 – 40, 40 – 60, 60-80, 80 – 100cm depths and air dried. Air-dried soil samples (100g) were separated into five aggregate sizes (>2.0, 2-1, 1-0.5, 0.5-0.052mm, <0.052mm) using wet sieving method, and percentage carbon content of each aggregate fractions were determined using Loss on Ignition Method. Data collected were analyzed using descriptive statistics and ANOVA at $\alpha_{0.05}$. Carbon distribution varied among the soil aggregates and across the depths. The degree of carbon protection and carbon stability are higher in <0.052mm aggregate size than in other aggregates. Macro-aggregate and micro-aggregate are responsible for carbon accumulation in surface and sub-surface soils, respectively. Therefore, macro-aggregate and micro-aggregate are responsible for carbon sequestration in soil of Omo Biosphere Reserve.

Keyword: Carbon distribution, Soil aggregates, Natural forest, Climate change mitigation.

Introduction

Soil and vegetation are natural reservoirs of carbon in terrestrial ecosystem. Therefore, soil and vegetation can be managed to enhance amount of carbon stored in these natural reservoirs (Tuffour *et al.*, 2014). The quantity of carbon stored in the soil is highly significant, it contains about three times the amount of carbon in vegetation and twice the amount in the atmosphere (Batjes and Sombroek, 1997). Hence, soils are considered as the largest carbon reservoir. The ability to capture and retain carbon in soil is dependent on depth, texture, structure, farming system, soil management and tree species composition (Lal, 2004). Therefore, more research and information on carbon distribution along soil depths, effects of soil texture and structure on carbon storage and proper soil management techniques to enhance carbon uptake by plants and storage in soils are required.

Soil aggregates are the primary particles that adhere to each other more strongly than other surrounding soil particles. According to (Honttoria *et al.*, 2016), organic carbon stabilization involves the permanent protection and preservation of soil carbon in the soil aggregates.

Therefore, aggregation is seen as a key to maintaining soil structure stability which facilitate sequestration of carbon compounds in soils, and also an effective means of controlling erosion. Soil aggregation could be macro aggregates (>0.25mm) or micro aggregates (<0.25mm) depending on the soil factors and level of soil disturbances. Soil aggregates distribution is a key physical property of soil and has the potentials to physically protect soil from the loss of carbon, thus soil aggregation is important for carbon sequestration (Chivenge *et al.* 2011). Trujilo *et al.*, (1997), Martens *et al.*, (2003) reported that stabilized carbon is carbon within soil aggregates because it is less subjected to physical, microbial and enzymatic degradation. However, most previous studies reported carbon accumulation in shallow soil and little on distribution of profile carbon in natural forest. More so, soil depth is a factor of consideration in soil aggregate distribution and carbon content. Salome *et al.*, (2010) expressed that carbon at subsoil may be more important than topsoil carbon and factors controlling carbon dynamics in surface soil and subsoil may be different. However, Mikha and Rice (2004) revealed that most studies focused on carbon at surface soil and in subsoil are largely ignored. This knowledge gap limits the detail assessment of carbon distribution and underlying factors controlling them along depths. These limitations contribute to the unabated increase in greenhouse gases in the atmosphere. Therefore, determining the carbon content of aggregates is essential to have a detailed knowledge of the aggregate fraction that pre-determines the carbon content of bulk soils. This information is needed to enhance carbon accumulation in the forest soils. Hence, this research aims at quantifying the soil aggregates and carbon fraction distribution along 0cm -100cm depths in a natural forest.

Materials and Methodology

This study was carried out in Omo Biosphere Reserves, situated in Omo Forest Reserve. It is located between Latitudes 6° 35' - 7° 05'N and Longitudes 4° 19' - 4° 40'E, in Ijebu East and North Local Government Areas of Ogun State, southwestern Nigeria. The United Nations Educational, Scientific and Cultural Organization (UNESCO) pioneered the setting up of biosphere reserves when it hosted the 1968 UNESCO Conference on Rational Use and Conservation of the Resources of the Biosphere. This led to the establishment of biosphere reserves in several countries including Nigeria. Thus, Omo Biosphere Reserve which derives its name from river Omo that traverses it was established in the year 1977, it covered total area of 460 hectares. The mean annual rainfall in the area ranges from about 1600 to 2000 mm with two annual peaks in June and September, and temperature ranges from 32.150C to 21.400C and a minimum relative humidity of 76.34 % (Adebisi, 2004). Biologically, the Reserve is in the mixed moist, semi-evergreen rainforest zone, rich in species and has very high levels of endemism. It is an old growth forest reserve, rich in tree species diversity. Stratified random sampling technique was used to demarcate 20 temporary sample plots (TSPs) of 30x30m size. The reserve was stratified into close and open canopy structures using supervised classification. Fourteen (14) sample plots were established in close canopy cover while 6 sample plots were established in open canopy cover. A profile pit of 100cm depth was dug at the centre of each sample plots and samples were collected at depths (0 – 20, 20 – 40, 40 – 60, 60 - 80, 80 – 100cm). These were conveyed to soil laboratory in the Department of Agronomy, University of Ibadan. The soil samples were air dried in the

laboratory, and further separated into five aggregate sizes (>2mm, 1mm, 0.5mm, 0.052mm, and <0.052mm) using wet sieving method. Soil total carbon was determined according to (Nelson and Sommers, 1996). The air dried soil samples from each depth were wet sieved into aggregate size fractions by placing 100g of soil sample on the top of a stack of four sieves (>2.0, 2.0-1.0, 1.0-0.5, 0.5-0.05 and <0.05 mm) placed into a full bucket of water and agitated for one minute following up and down movement with sieve shaker. Wet aggregates remaining on each sieve were collected, oven dried and weighted. A sub-sample of 10g of each aggregate fraction were placed in ceramic crucible and heated in Murphy furnace at 440°C for a minimum of 4 hours of constant light and cooled in a desiccator and then weighed for carbon content estimation. Then Total carbon (%) was calculated as expressed below.

$$\text{Total carbon(\%)} = \frac{i.w - f.w}{i.w} \times 100 \dots\dots\dots(1)$$

Where: *i.w* = initial weight of soil; *f.w* = final weight of the soil

Results

Carbon Distribution in Aggregate Fractions along Depths

Aggregate >2 and <0.05mm fraction contained high proportion of soil carbon at 0-20 and 20-100cm depths in close canopy structure, respectively. The least proportion of carbon occurred in aggregate 1-0.5 and 2.0-1.0mm fraction from 0-60 and 60-100cm depths, respectively in close canopy structure. The aggregates attained the highest carbon concentration at 0-20cm and decreased with increase in soil depth. This can be attributed to rich organic matter content at surface soil that decreases with increase in depths. Also, aggregate >2.0 and <0.05mm contributed the large amount of soil carbon at 0-40 and 40-100cm depths, respectively. Therefore, there was a change in high adsorptive capacity for carbon from aggregate >2.0mm to <0.052mm fraction in open canopy structure. Furthermore, aggregate 0.5mm fraction had the least carbon content at soil depths (Table 1a and 1b). Approximately, the carbon content of aggregate fractions decreased with increase in soil depth.

Table 1a. Mean Distribution of Total Carbon at Five Depths in the Close Canopy Structure of Omo Biosphere Reserve

Close canopy cover Depths (cm)	Total Carbon (%)				
	>2mm	2-1mm	1-0.5mm	0.5-0.052mm	<0.052mm
0-20	4.09±1.93	3.08±1.29	3.00±1.06	3.31±1.44	4.03±1.45
20-40	2.28±1.03	1.67±0.88	1.37±0.76	2.05±1.17	3.29±0.96
40-60	3.20±1.90	2.39±2.26	1.81±1.24	2.30±1.49	3.97±1.75
60-80	2.09±0.98	1.73±1.19	2.11±1.09	2.73±1.44	3.87±1.68
80-100	2.45±1.40	1.65±1.00	1.87±1.07	2.32±1.22	3.81±1.58

Table 1b. Distribution of Total Carbon at Five Different Depths in the Open Canopy Structure of Omo Biosphere Reserve

Open canopy cover Depth (cm)	Total Carbon(%)				
	>2mm	2-1mm	1-0.5mm	0.05-0.052mm	<0.052mm

0-20	4.93±3.23	3.03±2.91	2.60±1.54	2.76±2.10	3.88±1.67
20-40	2.76±2.31	1.51±1.03	1.51±1.19	1.55±1.50	2.70±2.00
40-60	1.36±1.14	0.88±0.52	0.88±0.64	0.91±0.85	2.53±2.07
60-80	1.23±0.59	1.05±0.48	0.68±0.52	1.05±0.88	2.31±1.83
80-100	1.48±0.66	0.91±0.38	0.63±0.54	0.96±0.79	2.48±1.98

Sample Plots, Soil Depths, Aggregate Sizes and Carbon Distribution

The ANOVA result shows that soil carbon associated with aggregate fractions was significantly different with depths. Also, soil carbon content among aggregate sizes was significantly different ($P \leq 0.05$) in close canopy structure. Open canopy structure, soil carbon content was significantly different with depths. Soil carbon content among aggregate sizes was significantly different ($P \leq 0.05$). Soil carbon content of aggregate sizes was significantly different among the plots of Open canopy structure. This Indicates homogeneity of aggregate structure in close canopy plots.

The result of LSD test indicates that soil carbon content of aggregate sizes at 20-40 (2.13±1.15), 40-60 (2.73±1.87), 60-80 (2.51±1.47), 80-100cm depth (2.42±1.45) was not significantly different with one another but significantly different with 0-20cm depth (4.90±11.62), this shows that different factors influence carbon accumulation in surface and sub-surface soils. The result of LSD test indicates that soil carbon content among aggregate 2.0-1.0mm (2.10±1.48), 1-0.5mm (2.03±1.16), 0.5-0.052 mm (2.54±1.39) were not significantly different from one another but significantly different with >2mm (4.22±11.72) and <0.052mm (3.79±1.49) in Close canopy structure. Furthermore, carbon content of aggregate fractions of plots 1 (0.66±0.71) and 7 (0.52±0.35) was significantly different from plot 9 (2.43±2.67), 10 (2.69±1.81), 16 (2.35±1.13) and 20 (2.53±1.48). Also, distribution of carbon content of aggregate fraction of 0-20cm (3.44±2.38) and 20-40cm (2.01±1.67) depths was significantly different from 40-60cm (1.31±1.27), 60-80cm (1.26±1.08), 80-100cm depths (1.29±1.17) but no significant different between 0-20 (3.44±2.38) and 20-40cm depths (2.01±1.67) in Open canopy structure. Furthermore, the carbon content of aggregate 2-1.0mm (1.48±1.56), 1-0.5mm (1.29±1.35), and 0.5-0.052mm fractions (1.41±1.26) was not significantly different from one another but significantly different from >2.0 (2.35±2.26) and <0.052mm fractions (2.78±1.87).

Table 2a: Analysis of Variance for Carbon Distribution of Aggregate Sizes in Close Canopy

SV	DF	SS	MS	F-cal	P-tab
Plot	13	500.91	38.532	1.3934*	0.160741
Depth	4	350.35	87.587	3.1674**	0.014247
Size	4	283.68	70.919	2.5647**	0.038361
Depth*Size	16	545.42	34.088	1.2327*	0.241154
Error	312	8627.57	27.652		
Total	349	10307.93			

Where (**) significantly different and (*) not significantly different ($P \leq 0.05$)

Table 2b: Analysis of Variance for Carbon Distribution of Aggregate Sizes in Open Canopy

SV	DF	SS	MS	F-cal	P-tab
Plot	5	123.6557	24.7311	16.7384**	0.000000
Depth	4	104.8147	26.2037	17.7350**	0.000000
Size	4	52.7187	13.1797	8.9202**	0.000002
Depth*Size	16	14.4233	0.9015	0.6101*	0.870639
Error	120	177.3009	1.4775		
Total	149	472.9133			

Where (**) significantly different and (*) not significantly different ($P \leq 0.05$)

Discussion

Carbon Distribution in Aggregate Fractions along Depths

Soil carbon was higher among aggregate sizes at surface (0-20cm) than sub-surface soils (40-100cm depth). Also, soil carbon among aggregate was higher in close than open canopy structure. This could be attributed to high surface litter accumulation on surface soil of close and open canopy structure. This suggests that organic matter accumulation on aggregate fractions decreased with increasing depths (Yang *et al.* 2008). This explains the reason for low carbon concentration among aggregates at subsoils.

Carbon Distribution between Soil Aggregates and Depths

There was no significant different in carbon distribution among subsoils but significantly different with carbon distribution in surface soil. This suggest that different factors influence carbon distribution of surface soils and sub-surface soils, hence supports the findings of Salome *et al.*, (2010) earlier stated. Furthermore, the differences in carbon accumulation of sub soil and surface soil could be linked to the report of Rasse *et al.* (2005), that root litter and root exudate are the major sources of soil carbon at deep soil depth and may be more stable and recalcitrant than carbon of surface soil because of higher concentrations of aliphatic and lignin materials. Also, Paul *et al.*, (1997) revealed that deep soil carbon is stable with long resident and turnover time than surface soil carbon.

Macro-aggregate >2.0 mm fraction contained more carbon at surface soil (0-20cm) but micro-aggregate <0.052mm fraction contained more carbon at subsoil (20-40cm depth). This supports the finding of Yang *et al.*, (2013). The accumulation of higher carbon in macro aggregates at surface soil could be attributed to high proportion particulate organic which preferentially accumulates on macro-aggregates (Smucker and Park, 2005b). Hence, micro aggregates (<0.052mm) contained large proportion of carbon than the macro aggregate at subsoil depth (20-100cm). This indicates that soil carbon trapped in micro-aggregate are more

physically protected from mineralization and therefore, more stable than particulate organic matter on macro-aggregates. This supports the finding of Six and Jastrow (2002) which reveals that there is variation in degree of soil carbon protection among different aggregate sizes, and the degree of carbon protection is more in micro-aggregates than macro-aggregates probably because smaller aggregates have larger surface area and then can absorb more carbon. Also, soil micro-aggregates are characterized with more stable and recalcitrant carbon than particulate organic matter associated with macro-aggregates. Therefore, aggregate >2.0mm and <0.052mm fractions were responsible for high proportion of carbon accumulation in surface soil and subsoils, respectively. Hence, they have the highest potential for carbon sequestration and carbon stability in Omo Biosphere Reserve. As a result of this, any activities that disturbs or breaks the macro aggregates at soil surface in any land use system should be discouraged.

There is variation in soil carbon distribution among sample plots in close and open canopy structures. Variation in close canopy structures are not significantly different whereas there is significant different in open canopy structures. This reveals the homogeneity and a more micro climatic environment in close canopy than in open canopy structures. And could be the reason we recorded higher carbon in close canopy structure than in open canopy structure.

Conclusion and Recommendation

Carbon distribution varied among the aggregates and soil depths. Carbon content of aggregate fractions was higher at surface soil (0-20cm) than the subsoil. Macro aggregates (>2mm) were observed to have more carbon at surface soils (0-20cm) and micro aggregates (<0.052mm) at sub soils (20-100cm). Thus, different factors influence carbon accumulation in surface soils and sub-surface soils. There is variation in degree of soil carbon protection among different aggregate sizes. Aggregate fractions >2.0mm and <0.052mm are responsible for high percentage of carbon accumulation in surface soil and sub-surface soils respectively. Hence, they have the highest potentials for carbon sequestration, and <0.052mm has more stable carbon in forest soils. As a result of this, any activities that disturbs or breaks the macro aggregates at soil surface in any land use system should be discouraged.

References

- Adebisi, A.A. 2004. A case study of *Garcinia kola* nut production-to-consumption system in J4 area of Omo forest reserve, South-west Nigeria. SUNDERLAND, T. and NDOYE, O. Eds. *Forest products, livelihoods and conservation: case studies of non-timber forest product systems*, 115-132
- Batjes, N.H. and Sombroek, W.G. 1997. Possibilities for carbon sequestration in tropical and tropical soils. *Global Change Biology* 3: 161-173.
- Chivenge, P., Vanlauwe, B., Gentile, R. and Six, J. 2011. Organic resource quality influences short-term aggregate dynamics and soil organic carbon and nitrogen accumulation. *Soil Biology and Biochemistry* 43: 657-666.
- Honttorria, C., Gomez-Paccard, C., Mariscal-Sancho, I., Benito, M., Perez, J. and Espejo, R. 2016. Aggregate size distribution and associated organic carbon and N under

- different tillage systems and Ca-ammendment in a degraded Ultisol. *Soil and Tillage Research* 160: 42-52
- Lal, R. 2004. Soil carbon sequestration impacts on global climate change and food security. *Science* 304: 16-27.
- Martens, D.A., Reedy, T.E. and Lewis, D.T. 2003. Soil organic carbon content and composition of 130-year crop, pasture and forest land use managements. *Global Change Biology* 10: 65-78. doi:10.1046/j.1529-8817.2003.00722.x.
- Park, E.J., and Smucker, A.J.M. 2005b. Dynamics of carbon sequestered in concentric layers of soil macroaggregates. *Korean J. Ecol.* 28:181–188.
- Paul E, Follett R, Leavitt S, Halvorson A, Peterson G, Lyon D. 1997. Radiocarbon dating for determination of soil organic matter pool sizes and dynamics. *Soil Sci Soc Am J* 61: 1058–1067.
- Rasse D.P., Rumpel C, Dignac M.F (2005) Is soil carbon mostly root carbon? Mechanisms for a specific stabilisation. *Plant Soil* 269: 341–356. 10.1007/s11104-004-0907-y
- Salome, C., Nunan, N., Pouteau, V., Lerch, T.Z. and Chenu, C. 2010. Carbon dynamics in topsoil and in subsoil may be controlled by different regulatory mechanisms. *Global Change Biology* 16:416–426.
- Six J, Jastrow JD (2002) Organic matter turnover. *Encyclopedia of Soil Science*: 936–942.
- Trujillo, W., Amezcuita, E., Fisher, M.J. and Lal, R. 1997. Soil organic carbon dynamics and land use in the Colombian Savannas: Aggregate size distribution. In R. Lal Ed. *Soil processes and the carbon cycle*. CRC Press, Boca Raton, FL. 267–280.
- Tuffour, H.O, Bonsu, M. and Khalid, A.A 2014. Assessment of soil degradation due to compaction resulting from cattle grazing using infiltration parameters. *International Journal of Scientific Research in Environmental Sciences*, 2(4): 139-149.
- Yang, X.M., Drury, C.F., Reynolds, W.D. and Tan, C.S. 2008. Impacts of longterm and recently imposed tillage practices on the vertical distribution of soil organic carbon. *Soil Tillage Res.*100:120–124. doi:10.1016/j.still.2008.05.003.
- Yang, X.M., Drury, C.F., Guo, X. and Zhang, X. 2013. Distribution and stability of organic carbon in soil aggregate external and internal layers under three different land-use systems. *Soil Science Society of America Journal*. 1.72 doi: 10.2136/sssaj.2013.03.0086.